

PAPERS on **PolyHYDROXYETHYL Aspartamide™**, **PolyGLYCOPLEX™**, **HILIC** and **SEC**

BACKGROUND REFERENCES

H0) Bosch et al., Anal. Chem. 68 (1996) 3651.

H00) Canals et al., Anal. Chem. 72 (2000) 1802.

Ref# REFERENCE

H1) Alpert, J. Chromatogr. 499 (1990) 177.

H2) Zhu et al., J. Chromatogr. 548 (1991) 13.

H3) Fainsilber et al., Eur. J. Biochem. 202 (1991) 589.

H4) Andrews & Alpert, Poster #110, 10th ISPPP (10/90)

H5) Pike et al., Proc. Natl. Acad. Sci. 88 (1991) 11081.

H6) Przysiecki et al., Protein Expression Purif. 3 (1992) 185.

H7) Swiderek et al., Poster #M93, Protein Society Symp. (7/92).

H8) Boutin et al., J. Chromatogr. 583 (1992) 137.

H9) Fong et al., Plant Physiol. 99 (1992) 548.

H10) Hogrefe et al., Nucl. Acids Res. 21 (1993) 2031.

H11) Bickel et al., Proc. Natl. Acad. Sci. 90 (1993) 2618.

H12) Horst et al., EMBO Journal 12 (1993) 3035.

H13) Clauser and Burlingame, Poster M286, Protein Society Symp. (7/93)

H14) Boutin et al., Drug Metab. Disp. 21 (1993) 1157.

H15) Barret et al., Chem.-Biol. Interact. 86 (1993) 17.

H16) Jenö et al., Anal. Biochem. 215 (1993) 292.

H17) Soltysik et al., Ann. NY Acad. Sci. 690 (1993) 392.

H18) Alpert et al., J. Chromatogr. A 676 (1994) 191.

H19) Swiderek et al., Poster 268-M, Protein Society Symp. (7/94).

H20) Alpert et al., Poster 269-M, Protein Society Symp. (7/94).

H21) Harwig et al., Meth. Enzymol. 236 (1994) 160.

H22) Ernould et al., Int. J. Peptide Protein Res. 43 (1994) 496.

H23) Taylor et al., J. Am. Chem. Soc. 116 (1994) 10803.

H24) Silvestre et al., J. Agric. Food Chem. 42 (1994) 2778.

H25) Silvestre et al., J. Agric. Food Chem. 42 (1994) 2783.

H26) Shushan, Perkin-Elmer "Views", Fall 1994, 16-17.

H27) Furuya et al. Proc. Natl. Acad. Sci. 92 (1995) 12323.

H28) Kieliszewski et al., J. Biol. Chem. 270 (1996) 2541.

H29) Sarg et al., Chromatographie 1/95 (1995) 50.

H30) Oylar et al., J. Chromatogr. A 724 (1996) 378.

H31) Pauly et al., Carbohydr. Res. 282 (1996) 1.

H32) Horst et al., Meth. Enzymol. 260 (1995) 232.

SUBJECT

Retention of Ionizable Compounds on HPLC. pH Scale in Methanol-Water and the pK and pH Values of Buffers.

Retention of Ionizable Compounds on HPLC. 4. Mobile-Phase pH Measurement in Methanol/Water.

SUBJECT

Introduction of HILIC for HPLC of polar compounds.

Peptide HILIC on PolyHYDROXYETHYL A and PolySULFOETHYL A (same ref. as S16).

Size-Exclusion HPLC of a **conotoxin peptide**.

Size-Exclusion HPLC of small solutes.

Lactic acid stimulates B-cell growth.

HILIC, SEC, and SCX of recombinant antistasin with a preproleader sequence same ref. as S18).

Isoln. of carcinoembryonic antigen glycopeptides by HILIC, with mass spec. sequencing.

HILIC of phosphorylated peptides and tyrosine kinase reaction mixtures.

SEC of gymnosperm Ser-Hyp4 motif protein (same ref. as S26).

HILIC of **methylphosphonate oligonucleotides**.

Purif. of biotinylated VIP analog.

HILIC of mitochondria proteins from SDS-PAGE gel bands.

Removal of SDS from proteins via capillary HILIC.

HILIC of glucuronides of diosmetin.

Assay of ATPase activity by HILIC.

Removal of SDS and salts **from electroeluted proteins**.

Purif. of saponins by HILIC.

PolyGLYCOPLEX for HILIC of **complex carbohydrates**.

HILIC for **removal of SDS, Triton X-100, and Nonidet P40** from peptides on-line for LC-MS.

HILIC of intact proteins.

Purif. by HILIC of **defensins**.

HILIC of phosphorylated peptides from tyrosine kinase reactions.

Isoln. of dihydroxyproline from mussel adhesive protein.

Fractionation of casein hydrolyzates by SEC.

Characterization by SEC of casein hydrolyzates.

SEC desalting of proteins for ES-mass spec.

Isoln. by RPC/HILIC of a diuretic hormone polypeptide from mealworm (*T. molitor*).

HILIC of hydroxyproline-rich glycopeptides from Douglas Fir, with MS to determine sites of arabinoside attachment.

HILIC of histones (using PolyCAT A).

HILIC of diastereomers of atosiban.

HILIC of nitrobenzyl- derivs. of oligo-saccharides on PolyGLYCOPLEX.

Isoln. of yeast mitochondrial membrane proteins from 2-D gels by HILIC.

- H33) Lindner et al., J. Chromatogr. A 743 (1996) 137.
H34) Nelson et al., Exp. Cell Res. 229 (1996) 20.
H35) Lindner et al., J. Chromatogr. A. 782 (1997) 55.
H36) Swiderek et al., ABRF News 8(4) (1997) 17.
H37) Lane et al., J. Cell Biol. 125 (1994) 929.
H38) Swiderek et al., Meth. Enzymol. 271 (1996) 68.
H39) Mant et al., Meth. Enzymol. 289 (1997) 426.
H40) Schmerr et al., J. Chromatogr. A 802 (1998) 125.
H41) Lindner et al., J. Biol. Chem. 273 (1998) 13324.
H42) Strege, Anal. Chem. 70 (1998) 2439.
H43) Zhang and Wang, J. Chromatogr. B 712 (1998) 73.
H44) Faull et al., Neuropeptides 32 (1998) 339.
H45) Mant et al., J. Chromatogr. A 816 (1998) 65.
H46) Mant et al., J. Chromatogr. A 816 (1998) 79.
H47) Alpert, Size Exclusion HPLC of Small Solutes, Column Handbook for Size Exclusion Chromatography (C.-S. Wu, ed.), Academic Press, 1999.
H48) Strege, Am. Pharmaceut. Rev. 2 (1999) 53.
H49) Litowski et al., J. Pept. Res. 54 (1999) 1
H50) Croes et al., Poster 134, 47th ASMS Conference (June 1999; Dallas
H51) Dahiyat and Mayo, Proc. Natl. Acad. Sci. 94 10172.
H52) Serrano et al., J. Biol. Chem. 270 (1995) 27244.
H53) Ke et al., J. Biol. Chem. 272 (1997) 16603.
H54) Ke et al., J. Biol. Chem. 272 (1997) 20456.
H55) Kisselev et al., J. Biol. Chem. 273 (1998) 1982.
H56) Kisselev et al., J. Biol. Chem. 274 (1999) 3363.
H57) Dallet et al., J. Chromatogr. B, 742 (2000) 447.
H58) Strege et al., Anal. Chem. 72 (2000) 4629.
H59) Mizzen et al., J. Chromatogr. B, 744 (2000) 33.
H60) Hindi-Tameli-kecht et al., J. Agric. Food Chem. 45 (1997) 4758.
H61) Dahiyat et al., Protein Sci. 6 (1997) 1333.
H62) Rabearimonjy et al., in Proc. 9th Intl. Symp. Cyclodextrins, pg. 19 (1999); Kluwer Academic Publishers; Dordrecht, The Netherlands.
H63) Sarg et al., Arch. Biochem. Biophys. 372 (1999) 333.
H64) Wang et al., Poster, ASMS 1999.
H65) Doucette et al., Toxicon 38 (2000) 1465.
- HILIC of acetylated histones (using PolyCAT A).
Isoln. of a hepatic growth stimulator by SEC; it's glycerophosphorylethanolamine.
HILIC of phosphorylated histones using PolyCAT A (same ref. as C64).
Analysis of protein and peptide samples that contain detergents.
Analysis of the peptides GHK and KGHK in digests of SPARC protein.
Separation of glycopeptides from digest of carcinoembryonic antigen by RPC-HILIC.
CEX-HILIC of peptides (using PolySULF. A).
Purif. and analysis of the **scrapie prion protein** (using PolyWAX LP) [same ref. as W5].
HILIC of deamidation and acetylation variants of H1 histone (using PolyCAT A).
HILIC-ES-MS of small polar compounds in drug discovery screens.
HILIC of coeluting glycopeptides from an RPC map of a tryptic digest of recombinant γ -interferon from a CHO cell culture.
RPC-HILIC-CEX isolation of γ -lipotropin and β -endorphin from rat pituitary.
CEX-HILIC detects substitutions on the polar face of amphipathic α -helical peptides; RPC, the nonpolar face (PolySULF. A used).
CEX-HILIC vs. RPC for separation of variants of cyclic peptides (Gramicidin S analogs) (PolySULF. A used).
Explains the principles and gives applications.
HILIC-MS combination for drug discovery.
HILIC-CEX can resolve peptides that vary in position of Ser-acetylation (PolySULF. A used).
HILIC-MS/MS of underivatized amino acids in seeds; run time of 6 minutes.
SEC of designed proteins @ packing interactions.
HILIC with PolyGLYCOPLEX of the carbohydrates from a GPI anchor of *Trypanosoma cruzi*.
HILIC of small, polar peptide products from t-PA and urokinase substrate cleavage.
HILIC of small, polar peptide products from a high-affinity urokinase substrate library.
SEC of peptides generated by degradation of model proteins by archaeal proteasomes.
SEC of peptides generated by degradation of model proteins by mammalian proteasomes.
HILIC of urea, allantoin, and lysine pyroglutamate in cosmetics.
HILIC of small molecules with coupled anion- and cation-exchange columns.
Sepn. of Histone H1 variants by HILIC on PolyCAT A.
SEC analysis of peptide size in chickpea protein hydrolyzates.
SEC of engineered helical proteins: distinguishing dimers from tetramers.
HILIC of hydroxypropyl cyclodextrins.
HILIC of avian Histone H5; degree of N-term. acetylation vs. age.
HILIC of NAD in cell extracts following use of HILIC SPE cartridge to get rid of perchloric acid.
Purif. of synthetic 11-[3H]-tetradotoxin.

- H66) McGrane et al., EuroResidue IV (May 2000), Pg. 765 (van Ginkel & Ruiten, eds.), Bilthoven, The Netherlands.
- H67) Scrofani et al., Protein Sci. 9 (2000) 2018.
- H68) Köhler et al., Molec. Cell 7 (2001) 1143.
- H69) Troyer et al., J. Chromatogr. A, 919 (2001) 299.
- H70) Chen et al., Eur. J. Biochem. 251 (1998) 691.
- H71) Zal et al., Glycobiology 8 (1998) 663.
- H72) Ye et al., LCGC 19 (2001) 1076.
- H73) Garbis et al., Anal. Chem. 73 (2001) 5358.
- H74) Cascio et al., EMBO J. 21 (2002) 2636.
- H75) Byrne et al., Bioconj. Chem. 13 (2002) 571.
- H76) Strömquist, J. Chromatogr. A, 667 (1994) 304.
- H77) Curren & King, J. Chromatogr. A, 954 (2002) 41.
- H78) Vanderlaan et al., J. Chromatogr. A, 711 (1995) 23.
- H79) Kett et al., Carboh. Res. 329 (2000) 169.
- H80) Litowski & Hodges, J. Biol. Chem. 277 (2002) 37272.
- H81) Fu et al., Electrophoresis 24 (2003) 2084.
- H82) MacCoss et al., Proc. Natl. Acad. Sci. USA 99 (2002) 7900.
- H83) Moyer et al., Clin. Chem. 48 (2002) 1460.
- H84) Hartmann et al., J. Chromatogr. A, 1009 (2003) 61.
- H85) Fahey et al., J. Chromatogr. A, 996 (2003) 85.
- H86) Wu et al., Nat. Biotechnol. 21 (2003) 532.
- H87) Agrwal et al., J. Biol. Chem. 268 (1993) 14932.
- H88) Phister et al., Appl. Env. Microbiol. 70 (2004) 631.
- H89) Karlsson et al., J. Chromatogr. Sci. 42 (2004) 361.
- H90) Wu et al., Anal. Chem. 76 (2004) 4951.
- H91) Cheung et al., J. Nucl. Med. 45 (2004) 867.
- H92) Fu et al., Electrophoresis 25 (2004) 600.
- H93) Kulanthaivel et al., J. Biol. Chem. 279 (2004) 36250.
- H94) Saric et al., J. Biol. Chem. 279 (2004) 46723.
- H95) Held et al., J. Biol. Chem. 279 (2004) 55474.
- H96) Hodges et al., J. Chromatogr. A, 1053 (2004) 161.
- H97) Wu et al., Mol. Biol. Cell 15 (2004) 2907.
- H98) Schmerr and Alpert, in Prions and Mad Cow Disease (Nunnally & Krull, eds.), Marcel Dekker, 2004, pp. 359-377.
- H99) Zywicki et al., Anal. Biochem. 336 (2005) 178.
- H100) Darlington and Gann, J. Trauma 58 (2005) 1.
- H101) Kieliszewski et al., Plant J. 5 (1994) 849.
- HILIC-MS for analysis of **aminoglycoside antibiotic residues**.
- Purif. of vascular endothelial growth factor-B.
- SEC of small peptides** in proteasome studies: their **fluorescamine derivs. elute more ideally**.
- HILIC of intact **glucosinolates** from broccoli.
- HILIC and RPC of neutral N-glycans in rat brain tissue.
- HILIC of N-linked glucose-capped oligosaccharides from hemoglobins of a deep-sea tube worm.
- HILIC-CEC of polar compounds (used PolySULF. A).
- Measurement of **folates and methotrexate in human plasma** using HILIC-MS/MS.
- 26S Proteasome studies: SEC of small peptides.
- Analysis by HILIC on PolyGLYCOPLEX of an galactosyl oligosaccharide used as an immune response blocker in xenotransplantation.
- SEC-RPC of a tryptic digest of superoxide dismutase.
- HILIC analysis and SPE extraction of avoparcin from kidney extracts.
- SEC to isolate neural acetylcholinesterase (280 KDa) for online assay.
- Purification of sugar pyrazolone derivs.
- SCX/HILIC purification of peptides to eliminate acetylated serine impurities.
- HILIC-CEC of peptides with PolySULFOETHYL A.
- HILIC-SCX-RPC capillaries for 3-D proteomics analysis of lens tissue proteins.
- HILIC-MS/MS of **nicotine and its metabolites in serum or urine**.
- RPC vs. HILIC-SCX for separation of subst. helical peptides.
- Prep-scale purif. of **glucosinolates** from seeds.
- HILIC-SCX-RPC capillaries for 3-D proteomics analysis of membrane proteins.
- SEC of recombinant carbohydrate-binding protein 35.
- Analysis via RPC-SEC-ESI-MS of bacilysin, chlorotetraine, and iturin A produced by bacteria in fermented maize dough
- HILIC of sucrose with ELSD detection.
- HILIC-SCX-RPC capillaries for 3-D proteomics analysis of rat proteins.
- SEC of a single chain Fv antibody + streptavidin fusion protein.
- HILIC-CEC with PolySULFOETHYL A for anal. of basic drugs in human serum.
- Purif. of lipoglycopeptide antibiotics by HILIC.
- SEC to follow degradation of **post-proteasomal peptides**.
- SEC sepn. of tyrosine, isodityrosine, and di-isodityrosine in extensin analog crosslink study.
- HILIC vs. RPC for monitoring the polarity of amino acid side chains in polar and nonpolar faces of amphipathic α -helices.
- Triphasic MuDPIT capillary (HILIC on top) for proteomics of Golgi proteins.
- Detection of the prion protein in blood** using HILIC extraction in a fluorescence immunoassay.
- HILIC vs. RPC in metabolomics.
- Adenosine isolated from plasma via HILIC and shown to reverse hemorrhagic shock by stimulation of Na/K ATPase**.
- SEC isoln. of HyPro-rich fragments from potato lectin.

H102)	McCarthy et al., J. Neurochem. 70 (1998) 1950.	Isoln. of Met-oxidized Neuropeptide Y from hippocampus.
H103)	Gates et al., Proc. Natl. Acad. Sci. USA 92 (1995) 7430.	HILIC of free amino acids from coral.
H104)	Porter et al., Proc. Natl. Acad. Sci. USA 92 (1995) 5351.	HILIC isoln.: Adenosine is pituitary cytotropic factor.
H105)	Torres et al., Chem. Res. Toxicol. 9 (1996) 1313.	HILIC separation of oligonucleotides not resolved by RPC.
H106)	Wu et al., J. Clin. Invest. 100 (1997) 1804.	SPE-HILIC for separation of radioiodinated amyloid peptide from the hot reagents used for the labelling.
H107)	Loeb et al., Arch. Insect. Biochem. Physiol. 38 (1998) 11.	Purif. of synthetic polar insect neuropeptides.
H108)	Higashibata et al., Extremophiles 2 (1998) 83.	SEC purif. of nonproteinaceous bacterial respiratory factor.
H109)	Scheller et al., J. Peptide Sci. 5 (1999) 185.	SEC sep'n. of peptides from proteins: Purif. from lysates of α -helical peptides taken up by cells.
H110)	Carreira et al., Ciênc. Tecnol. Aliment., Campinas 22 (2002) 229.	HILIC of free amino acids in casein hydrolyzates [in Portuguese].
H111)	Jin et al., Angew. Chem. Int. Ed. 42 (2003) 2898.	Isoln. of the antibiotic pentocin A via AEX-RPC-HILIC.
H112)	Zhang et al., J. Sep. Sci. 26 (2003) 1389.	CEC of peptides is better via SCX-HILIC than by RPC.
H113)	Zhang et al., J. Liq. Chrom. 26 (2003) 2119.	CEC of basic drugs is better via SCX-HILIC than by RPC.
H114)	Helinck et al., J. Appl. Microbiol. 94 (2003) 900.	SEC of casein peptides in yogurt.
H115)	Higaki-Sato et al., J. Agric. Food Chem. 51 (2003) 8.	Elution of an SEC column with 50% formic acid: peptides with N-term. pyroGlu eluted after Vt while the others eluted before Vt.
H116)	J. Sci. Food Agric. 84 (2004) 1891.	SEC of casein papain hydrolyzates.
H117)	Hisert et al., Mol. Microbiol. 56 (2005) 1234.	HILIC-MS of c-diGMP.
H118)	Rabaglia et al., Am. J. Physiol. Endocrinol. Metab. 289 (2005) E218.	HILIC-MS used to analyze amino acids from islets extracts
H119)	Choi & Licht, Biochemistry 44 (2005) 13921.	SEC of <i>E. coli</i> protease digestion products: peptides of 6-8 residues.
H120)	Ng et al., Anal. Chem. 77 (2005) 6125.	HILIC-MS of trisaccharide libraries.
H121)	Dakappagari et al., J. Peptide Res. 65 (2005) 189.	SEC sepn. of peptide epitopes & their complex.
H122)	Karnoup et al., Glycobiology 15 (2005) 965.	HILIC-RPC purif. of o-glycopeptides from <i>rec</i> IgA from corn.
H123)	Ravier et al., Pest Manag. Sci. 61 (2005) 728.	HILIC analysis of hydroxylated atrazine from corn spraying.
H124)	Lokvam & Kursar, J. Chem. Ecol. 31 (2005) 2563.	Isoln. of a trimeric procyanidin by HILIC.
H125)	Guillem et al., J. Neurosci. 25 (2005) 8593.	HILIC-MS of nicotine & cotinine in rat plasma.
H126)	Lopes et al., Brit. Food J. 107 (2005) 42.	Characterization by SEC of skim milk hydrolyzates.